



LUCID MOTORS SUPPLIER LABELING GUIDELINES

Rev 1.0

CONTACT INFO

Lucid Labeling Group

E-mail: ShippingLabels@lucidmotors.com

VERSION RELEASE NOTES

- A. Created standalone version of Lucid Label Specifications Version 1.0. This content was pulled from Packaging and Label Specification Guideline 2.0
- B. Some PDF 2D 417 data elements are now optional
- C. Created additional Portrait and Horizontal (Reduced Height) Label options for special packaging formats
- D. Revised layout to increase barcode real estate and apply consistent font sizes
- E. Removed Plant ID from Master Label
- F. Removed optional data elements from the Material Label
- G. Remove Part Number & Quantity barcodes from Material Label
- H. Remove Supplier Number barcode from Mixed Label

Table of Contents

CONTACT INFO	1
VERSION RELEASE NOTES	1
1. LABELING	2
Shipping Labels	2
General Shipping Label Specifications	2
Approval Process	3
1D 128 Bar Code Requirements	3
Figure 5.1: Material Label Field, Font, Font Size Formatting	4
Figure 5.2: Material Label - Dimensions	4
Material Label 417 PDF 2D Bar Code Data Content	5
Figure 5.3: Master Label Field, Font, Font Size Formatting	6
Figure 5.4: Master Label Dimensions	6
Master Label 417 PDF 2D Bar Code Data Content	7
Figure 5.5: Mixed Label Field, Font, Font Size Formatting	8
Figure 5.6: Mixed Label Dimensions	9
Mixed Label 417 PDF 2D Bar Code Data Content	10
Figure 5.7 Portrait Alternate Label Format - Dimensions	11
Figure 5.8 Portrait Alternate Label Format - Field, Font, Font Size Formatting	12
Figure 5.9 Reduced Height Alternate Label - Format Field, Font, Font Size Formatting	14
Figure 5.10 Reduced Height Alternate Label Format - Dimensions	16

1. LABELING

Shipping Labels

Adherence to shipping label requirements is mandatory and will be continuously monitored. A compliant Master Label and/or Material Label is required for ALL shipments. Noncompliance will result in the issuance of a SCAR (Corrective Action) by Logistics Compliance.

While Lucid expects adherence to these label standards, we also recognize their maybe legitimate concerns about a supplier's ability to meet them to the letter. Please contact shippinglabels@lucidmotors.com with question or concerns regarding label alternatives.

General Shipping Label Specifications

Example: Field Formatting Guide

Label Size: Lucid provides alternate formats see [Figure 5.7](#). Most samples apply to 4" X 6" labels, but additional sizes are available. Shown here is a Lucid standard label, 4.0 inches (102mm) high by 6.0 inches (152mm) wide. A6 stock is also acceptable, with formatting that meets required font size.

Label Stock Material: Print media shall be of proper carbon content to insure passing ANSI X3.182 Bar C ode Print Quality guidelines. **If barcodes are unscannable, a corrective action will be issued.**

Print Quality:

- Minimum print quality grade = 1.5 (C)
- Measure aperture = 0.10" (0.254mm)
- Inspection wavelength = 660 nm +/- 10 nm

Label Color: White label with black printing (there may be special color requirements).

Field Formatting: Field formatting is pictured. [See Figure 5.3](#) for a full-sized graphic.

Adhesives: Adhesive types can be pressure sensitive or dry gummed if adherence to the package substrate is assured and application is wrinkle-free.

Data Identifiers: All scanned barcode values must have a data identifier. For example, the License Plate should have a leading "1J", "5J", or "6J" data identifier in the scanned barcode values.

The above items are minimum requirements. There may be other regional or plant requirements that can be requested. Label protection against moisture, weathering, abrasion, etc., may be required in harsh environments and is encouraged wherever practical.

Care must be taken to assure that labels meet reflectivity and contrast requirements and can be scanned with contact & non-contact devices.

(P) PART NUMBER P11-T20000-C			
(Q) QUANTITY 999	LABEL TYPE MASTER LABEL		
(R) LICENSE PLATE 123456781234567890 		NO. BOXES 12 BOXES	PART DESCRIPTION COMPRESSOR, 36CC
(S) PURCHASING DOCUMENT 5500000260		WEIGHT 7 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US
		COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 402 E. 7TH ST. DULUTH, MN 55805 US
		SHIP DATE 12OCT22	

Approval Process

For review of label formats, please send digital proofs in **PDF form** to ShippingLabels@lucidmotors.com.

1D 128 Bar Code Requirements

Bar code block format

- The following figure outlines Bar code Block Layout. Bar code building block height is 0.67" +/- 0.04" (17mm +/- 1mm)
- A sub-block shall not contain more than one bar code symbol. Following figure illustrates use of building block, Bar code height, Title Block, Human Readable Text Alignment, Code 128 Bar code and X dimension.



Symbology

- All Bar codes shall be AIM Uniform code 128 symbology except when 2D bar code symbology is required.
- A leading space character shall not be used.
- %, /, \$, + symbols shall not be used.

Narrow Element X Dimension

- All Bar codes shall use narrow element X Dimension of 0.013 inch to 0.017 inch (0.33mm to 0.43mm)
- Lucid recommends using 0.015 (.38mm) X dimension.

Bar Code Height

- Each Bar Code symbol SHALL be a minimum height of .35 inch (13 mm)

Bar Code symbol placement and Quiet Zones

- The following illustration will help in designing human and machine-readable Bar codes.



Error Correction

- Minimum correction level of 3 is required.

Figure 5.1: Material Label Field, Font, Font Size Formatting


(P) Part No. Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 36 pt. Arial Narrow Bold Text (Q) Quantity Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 48 pt. Arial Narrow Bold Text (1J) License Plate No. Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 18 pt. Arial Narrow Bold Text Barcode Attributes Code 128, 0.40 mm (15.83 mil) (K) Purchasing Document Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 48 pt. Arial Narrow Bold Text	(P) PART NUMBER P11-T20000-C				PDF417 2D Barcode X Dimensions: 0.36 mm (14.7 mil), Row Height 3 X, Columns 5	
	(Q) QUANTITY 999	PART DESCRIPTION SUB ASSY - PANEL FLOOR BENCH SEAT CUSHION BRACKET				Part Description Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 22 pt. Arial Narrow Bold Text Text Arial Narrow Bold Text
	(1J) LICENSE PLATE 123456781234567890 		BOX COUNT BOX 7 OF 12	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US		Ship To Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 14 pt. Arial Narrow Bold Text Text
	(K) PURCHASING DOCUMENT 55000000260		UNIT WEIGHT 7 KG	COUNTRY OF ORIGIN CH	(12D) MANUFACTURING DATE 12OCT22	Ship From Title Text Attributes 6 pt. Arial Bold Narrow Text Main Text Attributes 14 pt. Arial Narrow Bold Text Text

Box Count, Gross Weight, Country of Origin
Title Text Attributes
6 pt. Arial Bold Narrow Text
Main Text Attributes
10 pt. Arial Narrow Bold Text

(12D) Manufacturing Date
Title Text Attributes
6 pt. Arial Bold Narrow Text
Main Text Attributes
28 pt. Arial Narrow Bold Text

Figure 5.2: Material Label - Dimensions

Suppliers can modify the spacing, font size to ensure barcode data has enough space to print. If that means moving/shrinking Box, Gross Weight, Country of Origin, and Address information, that is acceptable.



Material Label 417 PDF 2D Bar Code Data Content

Data Identifier (DI)	Definition	Comment	Example	Required or Optional
P	Part Number	Lucid-Provided Part Number. Part Number string length should be no more than 18 characters.	PP11-T20000-02	REQUIRED
Q	Quantity	Quantity shipped	Q999	REQUIRED
1J	License Plate Number	Data Identifier + Self-Determined Fixed Identifier is a location identifier unique to the supplier's business like an ISO Number, Dun's Number, Odette Number, JIPDEC, or Supplier Ship-From Location + Non-repeating Serial Number (padded out so entire license plate value meets full 18 characters. The padding should be placed in between the vendor number and the serial number)	1J123456781234567890 Printed value 123456781234567890 Scanned value 1J123456781234567890 DESADV EDI GIR Value 1J123456781234567890	REQUIRED* NOTE: The License Plate Identifier is not required to be printed, but should be included in the scannable barcode and EDI GIR values
V	Supplier Number	Lucid SHIP FROM code	V123465	REQUIRED
K	Purchasing Document	10-digit Purchase Order or Schedule Agreement Number	K5500000260	REQUIRED
12D	Manufacturing Date	Format DDMMYY, *Applies to products with an expiration date or as specifically indicated by Lucid	12DDDDMMYY	OPTIONAL
2S	SHIP ID#/ASN #	Supplier's ASN Number sent via EDI DESADV (ASN – Advanced Ship Notice)	2S00123456	OPTIONAL

Important note, the scanned License Plate value MUST be the same value you send in your EDI DESADV (ASN – Advanced Ship Notice), the GIR segment in the EDI specification.

Figure 5.3: Master Label Field, Font, Font Size Formatting


(P) Part No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text	(P) PART NUMBER P11-T20000-C		PDF417 2D Barcode X Dimensions: 0.44 mm (17.5 mil), Row Height 3 X, Columns: 5
(Q) Quantity Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 18 pt. Arial Narrow Bold Text	(Q) QUANTITY 999	LABEL TYPE MASTER LABEL	Label Type Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text
(6J) License Plate No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 18 pt. Arial Narrow Bold Text Barcode Attributes Code 128, 0.36 mm (14.17 mil)	(6J) LICENSE PLATE 123456781234567890	BOX COUNT 12 BOXES	PART DESCRIPTION COMPRESSOR, 36CC
		GROSS WT. 7 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US
(K) Release No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text	(K) PURCHASING DOCUMENT 5500000260	COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 402 E. 7TH ST. DULUTH, MN 55805 US
		SHIPPING DATE 12OCT22	

**Box Count, Gross Weight
and Country of Origin**
 Title Text Attributes
 6 pt. Arial Narrow Bold Text
 Main Text Attributes
 11 pt. Arial Narrow Bold Text

Shipping Date
 Title Text Attributes
 6 pt. Arial Narrow Bold Text
 Main Text Attributes
 11 pt. Bold Text

Figure 5.4: Master Label Dimensions

Suppliers can modify the spacing, font size to ensure barcode data has enough space to print. If that means moving/shrinking Box, Gross Weight, Country of Origin, and Address information, that is acceptable.



Master Label 417 PDF 2D Bar Code Data Content

Data Identifier (DI)	Definition	Comment	Example	Required or Optional
P	Part Number	Lucid-Provided Part Number. Part Number string length should be no more than 18 characters.	PP11-T20000-02	REQUIRED
Q	Quantity	Quantity shipped	Q50	REQUIRED
6J	License Plate Number	Data Identifier + Self-Determined Fixed Identifier is a location identifier unique to the supplier's business like an ISO Number, Dun's Number, Odette Number, JIPDEC, or Supplier Ship-From Location + Non-repeating Serial Number (padded out so entire license plate value meets full 18 characters. The padding should be placed in between the vendor number and the serial number)	6J123456781234567890 Printed value 123456781234567890 Scanned value 6J123456781234567890 DESADV EDI GIR Value 6J123456781234567890	REQUIRED The License Plate Identifier is not required to be printed, but should be included in the scannable barcode and EDI GIR values
V	Supplier Number	Lucid SHIP FROM code	V123465	REQUIRED
K	Purchasing Document	10-digit Purchase Order or Schedule Agreement Number	K5500000260	REQUIRED
2S	SHIP ID#/ASN #	Supplier's ASN Number sent via EDI DESADV (ASN – Advanced Ship Notice)	2S00123456	OPTIONAL


Important note, the scanned License Plate value MUST be the same value you send in your EDI DESADV (ASN – Advanced Ship Notice), the GIR segment in the EDI specification.

Figure 5.5: Mixed Label Field, Font, Font Size Formatting

If pallet contains more than one Part Number, it is a Mixed Load Pallet and requires a Mixed Label on the pallet.

Label Type Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 26 pt. Arial Narrow Bold Text	LABEL TYPE MIXED LOAD		PDF417 2D Barcode X Dimensions: 0.44 mm (17.5 mil), Row Height 3 X, Columns: 5
(5J) License Plate No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 18 pt. Arial Narrow Bold Text Barcode Attributes Code 128, 0.36 mm (14.17 mil)	(5J) LICENSE PLATE 123456781234567890 	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282	Ship To Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 22 pt. Arial Narrow Bold Text
(V) Supplier Vendor Number Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text	(V) SUPPLIER NUMBER 108967	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US	Ship From Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 22 pt. Arial Narrow Bold Text
Shipping Date Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 20 pt. Arial Narrow Bold Text	SHIPPING DATE 12OCT22		

Figure 5.6: Mixed Label Dimensions




Mixed Label 417 PDF 2D Bar Code Data Content

Data Identifier (DI)	Definition	Comment	Example	Required or Optional
5J	License Plate Number	Data Identifier + Self-Determined Fixed Identifier is a location identifier unique to the supplier's business like an ISO Number, Dun's Number, Odette Number, JIPDEC, or Supplier Ship-From Location + Non-repeating Serial Number (padded out so entire license plate value meets full 18 characters. The padding should be placed in between the vendor number and the serial number)	5J123456781234567890 Printed value 5J123456781234567890 Scanned value 5J123456781234567890 DESADV EDI GIR Value 5J123456781234567890	REQUIRED NOTE: The License Plate Identifier is not required to be printed but should be included in the scannable barcode and EDI GIR values.
V	Supplier Number	Lucid SHIP FROM code	V108967	REQUIRED
K	Purchasing Document	10-digit Purchase Order or Schedule Agreement Number	K5500000260	REQUIRED
2S	SHIP ID#/ASN#		2S00123456	OPTIONAL


Important note, the scanned License Plate value MUST be the same value you send in your EDI DESADV (ASN – Advanced Ship Notice), the GIR segment in the EDI specification.

Figure 5.7 Portrait Alternate Label Format - Dimensions

Master



Mixed



Material




Figure 5.8 Portrait Alternate Label Format - Field, Font, Font Size Formatting

Master

(LJ) License Plate No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 18 pt. Barcode Attributes Code 128, 0.381 mm (15 mil) Normal Height 8 mm (0.3" min) (P) Part No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 28 pt. Arial Narrow Bold Text Part Description Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 22 pt. Bold Text (Q) Quantity Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 20 pt. Shipping Date Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 20 pt.	 PDF417 2D Barcode Height: 44 mm +/- 5.08, 1.0"				
	(LJ) LICENSE PLATE 123456781234567890 				
	(P) PART NUMBER P11-T20000-C				
	(K) PURCHASING DOCUMENT 5500000260				
	<table border="1"> <tr> <td>PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC</td> <td>BOX COUNT Box X of X</td> <td>LABEL TYPE MASTER LABEL</td> </tr> </table>			PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC	BOX COUNT Box X of X
PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC	BOX COUNT Box X of X	LABEL TYPE MASTER LABEL			
<table border="1"> <tr> <td>(Q) QUANTITY 999</td> <td>GROSS WT. 10000 KG</td> <td>SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US</td> </tr> </table>			(Q) QUANTITY 999	GROSS WT. 10000 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US
(Q) QUANTITY 999	GROSS WT. 10000 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US			
<table border="1"> <tr> <td>SHIPPING DATE 12OCT22</td> <td>COUNTRY OF ORIGIN US</td> <td>SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US</td> </tr> </table>			SHIPPING DATE 12OCT22	COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US
SHIPPING DATE 12OCT22	COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US			
Box Count, Gross Weight, Country of Origin Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 9 pt. Bold Text					
(K) Release No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 18 pt. Arial Narrow Label Type Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 32 pt. Arial Narrow Bold Ship To Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 11 pt. Ship From Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 11 pt.					

Material

(LJ) License Plate No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 18 pt. Arial Narrow Bold Text Barcode Attributes Code 128, 0.49 mm (19.17 mil) (P) Part No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text Part Description Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 11 pt. Arial Narrow Bold Text (Q) Quantity Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text Shipping Date Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 20 pt. Arial Narrow Bold Text	 PDF417 2D Barcode X Dimensions: 0.44 mm (17.5 mil), Row Height: 33X, Columns: 5				
	(LJ) LICENSE PLATE 123456781234567890 				
	(P) PART NUMBER P11-T20000-C				
	(K) PURCHASING DOCUMENT 5500000260				
	<table border="1"> <tr> <td>PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC</td> <td>BOX COUNT Box X of X</td> <td>LABEL TYPE MASTER LABEL</td> </tr> </table>			PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC	BOX COUNT Box X of X
PART DESCRIPTION COMPRESSOR, 36CC COMPRESSOR, 36CC	BOX COUNT Box X of X	LABEL TYPE MASTER LABEL			
<table border="1"> <tr> <td>(Q) QUANTITY 999</td> <td>GROSS WT. 10000 KG</td> <td>SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US</td> </tr> </table>			(Q) QUANTITY 999	GROSS WT. 10000 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US
(Q) QUANTITY 999	GROSS WT. 10000 KG	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US			
<table border="1"> <tr> <td>SHIPPING DATE 12OCT22</td> <td>COUNTRY OF ORIGIN US</td> <td>SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US</td> </tr> </table>			SHIPPING DATE 12OCT22	COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US
SHIPPING DATE 12OCT22	COUNTRY OF ORIGIN US	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US			
Box Count, Gross Weight, Country of Origin Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 8 pt. Arial Narrow Bold Text					
(K) Purchasing Document Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text Label Type Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 32 pt. Arial Narrow Bold Text Ship To Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 11 pt. Arial Narrow Bold Text Ship From Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 11 pt. Arial Narrow Bold Text					

Mixed

(5J) License Plate No.

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

20 pt. Arial Narrow **Bold** Text

Barcode Attributes

Code 128,

0.381 mm (15 mil) Normal

Height 8 mm (0.3" min)

(V) Supplier No.

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

36 pt. Arial Narrow **Bold** Text

Shipping Date

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

20 pt. Arial Narrow **Bold** Text

	
(5J) LICENSE PLATE 123456781234567890	
(V) SUPPLIER NUMBER 108967	
SHIPPING DATE 12OCT22	LABEL TYPE MIXED LOAD
Reserved For Future Use	SHIP TO LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US
	SHIP FROM LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US

PDF417 2D Barcode

X Dimensions: 0.44 mm (17.5

mil), Row Height: 3X,

Columns: 5

Label Type

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

32 pt. Arial Narrow **Bold** Text

Ship To

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

12 pt. Arial Narrow **Bold** Text

Ship From

Title Text Attributes

6 pt. Arial Narrow **Bold** Text

Main Text Attributes

12 pt. Arial Narrow **Bold** Text

Figure 5.9 Reduced Height Alternate Label - Format Field, Font, Font Size Formatting

Master

Ship From Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt.		Ship To Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt.		Label Type Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold	
SHIP FROM: LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US		SHIP TO: LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US		LABEL TYPE MASTER LABEL	
PART NUMBER P11-T20000-C		PART DESCRIPTION COMPRESSOR, 36CC		BOX COUNT 12 GROSS WT. 999	
(P) Part No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 26 pt. Arial Narrow Bold Text		(Q) Quantity Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 22 pt.		(K) Release No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 18 pt. Arial Narrow	
(I) License Plate No. Title Text Attributes 6 pt. Arial Narrow Main Text Attributes 18 pt. Barcode Attributes Code 128, 0.381 mm (15 mil) Normal Height 8 mm (0.3" min)		(J) Purchasing Document Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text		(M) Manufacturing Date Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text	
(1A) LICENSE PLATE 123456781234567890 		(Q) QUANTITY 12		(K) RELEASE NUMBER 5500000260	
					

Material

Ship From Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt. Arial Narrow Bold Text		Ship To Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt. Arial Narrow Bold Text		(K) Purchasing Document Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text	
SHIP FROM: LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US		SHIP TO: LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US		(K) PURCHASING DOCUMENT 5500000264	
BOX COUNT Box X of X		GROSS WT. 10000 KG		COUNTRY OF ORIGIN US	
PART NUMBER P11-T20000-C		PART DESCRIPTION COMPRESSOR, 36CC		(12D) MANUFACTURE DATE 12OCT22	
(1A) LICENSE PLATE 123456781234567890 					
(I) License Plate No. Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 18 pt. Arial Narrow Bold Text Barcode Attributes Code 128, 0.40 mm (15.15 mil)		Part Description Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 26 pt. Arial Narrow Bold Text		PDF417 2D Barcode X Dimensions: 0.44 mm (17.5 mil), Row Height: 2X, Columns: 5	

Mixed

Ship From Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt. Arial Narrow Bold Text		Ship To Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 14 pt. Arial Narrow Bold Text		Label Type Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 36 pt. Arial Narrow Bold Text	
SHIP FROM: LUCID SUPPLIER 408 E. 7TH ST. DULUTH, MN 55805 US		SHIP TO: LUCID LOC 1115 W. ALAMEDA DR. TEMPE, AZ 85282 US		LABEL TYPE MIXED LOAD	
SHIP DATE: 12OCT22		SHIPPING DATE: 12OCT22		Shipping Date Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 26 pt. Arial Narrow Bold Text	
(S) LICENSE PLATE 123456781234567890 		(V) SUPPLIER NUMBER 108967		(Y) Supplier Vendor Number Title Text Attributes 6 pt. Arial Narrow Bold Text Main Text Attributes 28 pt. Arial Narrow Bold Text	
					


(S) License Plate No.
 Title Text Attributes
 6 pt. Arial Narrow **Bold Text**
 Main Text Attributes
 20 pt. Arial Narrow **Bold Text**
 Barcode Attributes
 Code 128,
 0.381 mm (15 mil) Normal
 Height 8 mm (0.3" min)

Figure 5.10 Reduced Height Alternate Label Format - Dimensions

Master



Material



Mixed



LUCID

